



Issued	30-10-2015	Scope	---
Report	150700325/2	Page	1 of 2
PIN	0476CQ0325		

Kiwa Cermet Italia hereby attests that the central heating boilers:

Trade mark:
Logo



Models:

Exclusive Green E 25 C.S.I.,
Exclusive Green E 25 R.S.I.,
Exclusive Green E 30 C.S.I.,
Exclusive Green E 35 C.S.I.,
Exclusive Green E 35 R.S.I.,
Meteo Green E 25 C.S.I.,
Meteo Green E 30 C.S.I.,
Meteo Green E 30 R.S.I.,
Meteo Green E Box 25 C.S.I.,
Meteo Green E Box 30 C.S.I.,
Meteo Green E Box 30 R.S.I.

are covered by the CE type certificate for the Directive on appliances burning gaseous fuels 2009/142/EC and Efficiency Directive 92/42/EEC

Appliance type: B23P, B53P, C13, C33, C43, C53, C63, C83, C93,
C13X, C33X, C43X, C53X, C63X, C83X, C93X

Gas groups: as specified in the **Annex 1**

The present declaration doesn't substitute the EC certificate.
This declaration is valid until withdrawal or replacement of the above mentioned EC certificate

Industry Division Manager
Maurizio Lorenzon

Declaration

Issued 30-10-2015 Scope ---
Report 150700325/2 Page 2 of 2
PIN 0476CQ0325

ANNEX 1

Models:

Exclusive Green E 30 C.S.I., Meteo Green E 30 C.S.I., Meteo Green E 30 R.S.I.,
Meteo Green E Box 30 C.S.I., Meteo Green E Box 30 R.S.I.

Gas groups:

Group	mbar
H	20;25
E	20

Group	mbar
LL	20
Esi	20/25

Group	mbar
L	25
P	30;37;50

Models:

Exclusive Green E 25 C.S.I., Exclusive Green E 25 R.S.I.,
Meteo Green E 25 C.S.I., Meteo Green E Box 25 C.S.I.,

Gas groups:

Group	mbar
H	20;25
E	20
Lw	20

Group	mbar
LL	20
Esi	20/25
Ls	13

Group	mbar
L	25
P	30;37;50

Models:

Exclusive Green E 35 C.S.I., Exclusive Green E 35 R.S.I.

Gas groups:

Group	mbar
H	20;25

Group	mbar
E	20

Group	mbar
P	30;37;50

The above gas groups can be combined according to the standard EN437:2009 and national situation of countries.

Declaration



Issued 21-09-2015 Scope Energy performance labels
 Report 150700325 Page 1 of 1
 PIN 0476CQ0325

Energy Performance Labels Declaration

Award of Energy-Performance labels with reference to:

Directive on efficiency requirements (92/42/EEC) Annex II of 21 May 1992 amended by Rectification of 22 June 1992 (O.J. L 167), by Directive 93/68/EEC of 22 July 1993 and by Directive 04/8/EC of 11 February 2004.

Trade mark	BERETTA				
	Efficiency values measured with G20				
	Full load 80/60°C (%)	Aver. load 80/60°C (%)	Aver. load 50/30°C (%)	Part load 30°C (%)	Star level
Exclusive Green E 25 C.S.I.	98,1	98,4	107,1	109,6	☆☆☆☆
Exclusive Green E 25 R.S.I.	98,1	98,4	107,1	109,6	☆☆☆☆
Meteo Green E 25 C.S.I.	98,1	98,4	107,1	109,6	☆☆☆☆
Meteo Green E Box 25 C.S.I.	98,1	98,4	107,1	109,6	☆☆☆☆
Exclusive Green E 30 C.S.I.	98,3	98,3	107,1	109,6	☆☆☆☆
Meteo Green E 30 C.S.I.	98,3	98,3	107,1	109,6	☆☆☆☆
Meteo Green E 30 R.S.I.	98,3	98,3	107,1	109,6	☆☆☆☆
Meteo Green E Box 30 C.S.I.	98,3	98,3	107,1	109,6	☆☆☆☆
Meteo Green E Box 30 R.S.I.	98,3	98,3	107,1	109,6	☆☆☆☆
Exclusive Green E 35 C.S.I.	97,5	97,8	106,6	109,2	☆☆☆☆
Exclusive Green E 35 R.S.I.	97,5	97,8	106,6	109,2	☆☆☆☆

Efficiency part load for modulating boilers according to EN483/A2 and EN677:1998.

Declaration

Kiwa Cermet Italia S.p.A.
 Società con socio unico, soggetta all'attività di
 direzione e coordinamento di Kiwa Italia
 Holding Srl
 Via Cadriano, 23
 40057 Granarolo dell'Emilia (BO)
 Unità secondaria
 Via Treviso 32/34
 31020 San Vendemiano (TV)
 Tel +39. 0438 411755
 Fax +39.0438 22428
 E-mail: info@kiwacermet.it
www.kiwa.it
www.kiwacermet.it

Industry Division Manager
 Maurizio Lorenzon

